



CERTIFICATIONS FOR
EGOLI ANKLE MINER
F1860





EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/3141/161/04/19/1192

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : BBF SAFETY GROUP (PTY) LTD (JHB) GUMBOOTS
3 DOMKRAG STREET ROBERTVILLE GAUTENG
SOUTH AFRICA

Description

PPE Type : *a safety footwear*
Product reference : STYLE 186
Construction and material of outsole : INJECTION MOULDED

Pictures :



• With steel toe cap



NON LEATHER UPPER
NON LEATHER SOLE



STYLE 186
EN ISO 20345:2011
SB FO SRA
P. O. BOX 1525 FLORIDA
GAUTENG
SOUTH AFRICA 1710
NRC5/9002/2006/0075



Reference standard : EN ISO 20345 : 2011
Classification : II **Category :** SB FO SRA
Size range : 5 to 12 **Slip resistance :** SRA
Toecap nature : Metallic **Insert nature : N/A**

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from April 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU-type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU-type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with the Annex V 5.7.2 of Regulation 2016/425.

Issued in Lyon by

Date of first issue : 11 April 2019

Maxence DREVET

End of validity date 11 April 2024

Project Certification Manager



Original CTC



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/685/EEC.

www.ctcgroupe.com

ce marking@ctcgroupe.com

CTC - 4, rue Hermine Frankel - 69367 Lyon cedex 07 - France
Tél : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Car Chaussure Maroquinerie Gentilis
Lx 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Compliance with the PPE EUROPEAN REGULATION (EU) 2016/425 II Basic Health and Safety Requirement

This safety footwear complies with **EN ISO 20345: 2011 Regulation (EU) 2016/425 requirements for personal protective equipment PPE** (category II) in terms of durability, comfort and slip resistance.



Testing and certification is carried out by:

Notice Body 0075

CTC

Park Scientifique Tony Garnier-4 rue Hermann Frenkel
69367 Lyon Cedex 07
France

Size range	sizes	Markings
STYLE 127	3-13	SB FO SRA
STYLE 128	6 to 13	SB P FO SRA
STYLE 137	6 to 13	SB FO SRA
STYLE 138	6 to 13	SB P FO SRA
SYLE 139	4 to 14	SB M FO SRA
STYLE 140	4 to 14	SB M P SRA

This footwear is designed to minimise the risk of injury from the specific hazards as identified by the marking on the particular product (see marking codes below) However, always remember that no item of PPE can provide full protection and care must always be taken while carrying out the risk-related activity.

Specific tests for the environment in which the boots are to be used need to be in place as part of overall safety procedures and precautions. Furthermore these tests and inspections should be conducted on a frequent basis.

Any unauthorised alterations to footwear, eg. Mechanical stretching, or adding vent holes should not be made as such alterations may:

Make the footwear non-compliant with these standards

Void any approval or certification of the footwear,

Reduce the effectiveness of the footwear.

Use only footwear of a suitable size. Products which are either too loose or too tight will restrict movement and will not provide the optimum level of protection. The size of these products are marked on the sole of the footwear.-

If the footwear is supplied without an insock and testing was carried out with no insock present.

Fitting an insock can effect the protective properties of the footwear and if the footwear is supplied with a removable insock which was in place during testing. The insock should remain in place whilst the footwear is in use. It should only be replaced by a comparable insock supplied by the original manufacturer.

PERFORMANCE AND LIMITATIONS OF USE – These products have been tested in accordance with **EN ISO 20345: 2011** for the types of protection defined on the product by the marking codes explained below. However, always ensure that the footwear is suitable for the intended end use.

Penetration resistance –Warning please note that the penetration resistance of this footwear has been measured in the laboratory using a truncated nail of 4.5mm and a force of 1100N Higher forces or nail of smaller diameter will increase the risk of penetration occurring .

SYMBOL	Protection Provided
OB	Personal Protective Equipment (Occupational Footwear)
SB	Steel Toe Cap : 200 joules impact resistance 15 kN compression resistance
M	Metatarsal protection
FO	Fuel oil resistant outsole
P	Penetration resistant midsole
E	Energy absorption of the seat region tested at 20 joules
AN	Ankle protection
HRO	Heat resistant outsole compound : shall withstand 300C for 60 seconds
SRA	SLIP RESISTANCE Tested on ceramic floor with lubricated with sodium lauryl sulphate.

Where none of the symbols appear on the footwear it means that protection , as defined above, is not provided.

STORAGE

PVC Gumboots have no shelf life and can be stored indefinitely.

CARE OF PRODUCT

In hot conditions (e.g. underground mining) foot hygiene is especially important because the combination of warmth and sweat can become the breeding ground for bacteria and germs.

- Clean your shoes regularly, remove excess mud and dirt, wipe clean with a damp cloth.
- Don't use any other insoles than is provided as this can invalidate the use of this type of footwear.
- Allow drying thoroughly, preferably overnight at room temperature.
- Safety Footwear is to be worn in accordance with OHS Act 85 of 1993.
- Never force dry your footwear if it becomes wet, as direct heat may distort the upper and cause the PVC to become brittle and to crack.
- Check the soles of your footwear regularly. Keep the cleats free from stones, etc and ensure that the cleat grooves are not less than 1mm of whole sole.
- If the footwear becomes damaged, it will not continue to give the specified level of protection and should be immediately replaced.
- Regular maintenance of your footwear is important to extend the wearable life of the product.
- After use the footwear should be kept in an open well ventilated room.
- Change footwear regularly. Wear cotton or natural fabric socks
 - The cleaning procedure described below should be applied, but in addition, good quality clean cotton socks to absorb sweat should also be worn.
 - Wayne boots use knitted nylon sock liners to prevent the absorption of moisture. This makes it easier to clean and will dry more quickly than liners that absorb moisture.
 - Clean the exterior of the boot with mild soap and water. Never use chemicals and solvents as these will attack the plasticisers making the boot brittle and subject to cracking.

Use mild soap and water with a scrubbing brush to remove soil and dirt build-up from the tread pattern.

The interior of the boot may be cleaned with a mild detergent or disinfectant and then thoroughly rinsed. The nylon sock liner will absorb very little moisture and so enable quicker drying. Air circulation will assist drying. (Outside in the fresh air is good). Never use heat to accelerate the drying process.

To optimise protection, in some instances it may be necessary to use this footwear with additional PPE such as protective trousers or over gaiters. In this case, before carrying out the risk-related activity, consult your supplier to ensure that all your protective products are compatible and suitable for your application.

Damaged or modified footwear will not give the specified level of protection and should be replaced.

the declaration EU of conformity is available on the website : www.wayne-safety.com

*Manufactured by : BBF Safety Group (PTY)LTD (JHB) Gumboots
3 Domkrag Street P.O.Box 1525
Robertville Florida
Roodepoort 1710
Gauteng Gauteng
South Africa South Africa
Phone 27 11 671 0200 Fax 27 11 671 2050
Website: www.wayne-safety.com*